1_					
	L	Hits	Seal Text	DB	Time stamp
L	Number	225.6	(3-4405		2004/01/20
	-	2356	(detect\$5 or resolv\$5) near4 (circular	USPAT;	2004/01/28
			near2 flow near path or flow near path or	US-PGPUB;	13:22
- 1			flow) same flow near2 (diagram or graph)	EPO; JPO;	Į
- [				DERWENT;	
		,,	1/1 = 1/45	IBM_TDB	0004 (01 (00
	_	11	((detect\$5 or resolv\$5) near4 (circular	USPAT;	2004/01/28
			near2 flow near path or flow near path or	US-PGPUB;	13:12
			flow) same flow near2 (diagram or graph))	EPO; JPO;	
			and (flow near diagram or graph) same	DERWENT;	i
			(connect\$4 or join or link) same object	IBM_TDB	
ŀ		1.5	same event		0004 (01 (00
23		15	((detect\$5 or resolv\$5) near4 (circular	USPAT;	2004/01/28
		*	near flow near path or flow near path or	US-PGPUB;	13:15
			flow) same flow near2 (diagram or graph))	EPO; JPO;	<u> </u>
			and (flow near diagram or graph) same	DERWENT;	
	_	113	object same event ((detect\$5 or resolv\$5) near4 (circular	IBM_TDB	2004/01/20
	_	113	near2 flow near path or flow near path or	USPAT; US-PGPUB;	2004/01/28
			flow) same flow near2 (diagram or graph))	EPO; JPO;	13:1/
	1		and indicat\$4 near5 object	DERWENT;	
			and indicacy; hears object	IBM TDB	
	_	113	((detect\$5 or resolv\$5) near4 (circular	USPAT;	2004/01/28
		113	near2 flow near path or flow near path or	US-PGPUB;	13:16
	I		flow) same flow near2 (diagram or graph))	EPO; JPO;	1
			and (indicat\$4 or busy ) near5 object	DERWENT;	
			and (indicator) of busy / nears object	IBM TDB	
	_	123	((detect\$5 or resolv\$5) near4 (circular	USPAT;	2004/01/28
			near2 flow near path or flow near path or	US-PGPUB;	13:17
			flow) same flow near2 (diagram or graph))	EPO; JPO;	
Ì			and (indicat\$4 or counter) near5 object	DERWENT;	
			•	IBM TDB	
	_	7	(((detect\$5 or resolv\$5) near4 (circular	USPAT;	2004/01/28
			near2 flow near path or flow near path or	US-PGPUB;	13:18
1			flow) same flow near2 (diagram or graph))	EPO; JPO;	
			and (indicat\$4 or counter) near5 object)	DERWENT;	
1			and count\$3 near5 execut\$4	IBM_TDB	
	-	25	(((detect\$5 or resolv\$5) near4 (circular	USPAT;	2004/02/04
1			near2 flow near path or flow near path or	US-PGPUB;	13:50
- 1			flow) same flow near2 (diagram or graph))	EPO; JPO;	
			and (indicat\$4 or counter) near5 object)	DERWENT;	
		o	and count\$3 same execut\$4 (detect\$5 or resolv\$5) near4 circular	IBM_TDB	2004/01/20
	_	0		USPAT;	2004/01/28
	l		near2 flow near path same flow near2 (diagram or graph)	US-PGPUB; EPO; JPO;	13.23
			(dragram or graph)		
				DERWENT;	
	_	41	(detect\$5 or resolv\$5) same circular	USPAT;	2004/01/28
	ļ	4 4	near5 path same (diagram or graph)	US-PGPUB;	13:24
			pasi same (aragram or graph)	EPO; JPO;	13.23
				DERWENT;	
				IBM TDB	
	_	50	(detect\$5 or resolv\$5) same flow near	USPAT;	2004/01/28
	ļ		path same flow near2 (diagram or graph)	US-PGPUB;	13:25
				EPO; JPO;	
				DERWENT;	
				IBM TDB	·
	-	0	(detect\$5 and resolv\$5) same flow near	USPAT;	2004/01/28
İ			path same flow near2 (diagram or graph)	US-PGPUB;	13:25
	ļ			EPO; JPO;	1 3 4 5
				DERWENT;	
				IBM_TDB	
	-	35	(detect\$5 or determin\$6) and (fix\$4 or	USPAT;	2004/01/28
			resol\$6 or correct\$3) same flow near path	US-PGPUB;	13:26
			same flow near2 (diagram or graph)	EPO; JPO;	<u>. 1</u>
				DERWENT; IBM TDB	

1 - 2-				
	3	(71), \$.ccls. or 345/\$.ccls.) and	USPAT;	2004/02/04
		(detect\$4 or resolv\$5) near3 circular	US-PGPUB;	13:52
		near path	EPO; JPO;	]
		T .	DERWENT;	1
1			IBM TDB	
-	758	(717/\$.ccls. or 345/\$.ccls.) and	USPAT;	2004/02/04
		(detect\$4 or resolv\$5) near7 path	US-PGPUB;	13:54
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	12	(717/\$.ccls. or 345/\$.ccls.) and	USPAT;	2004/02/04
		(detect\$4 or resolv\$5) same circular near	US-PGPUB;	13:53
		path	EPO; JPO;	
			DERWENT;	
			IBM_TDB	

	Convident Conviction C		
Hits	Search Text	DB	Time stamp
6	(	USPAT; US-PGPUB;	2004/03/20
		EPO; JPO; DERWENT;	
1.4	//"6/25121"\ or /"5710896"\ or	IBM_TDB	2004/03/20
11	("5732192") or ("6425120") or ("6684385") or ("6425120") or ("5485616") or ("5790778")).PN.	US-PGPUB; EPO; JPO; DERWENT;	13:29
459	<pre>(resolv\$ or detect\$ or determin\$4) near4 (flow\$1 or path\$1 or flow near path\$1) and events and (connect\$3 or link\$3) near3 objects and count\$3 same (null or</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/03/20 13:46
112	((resolv\$ or detect\$ or determin\$4) near4 (flow\$1 or path\$1 or flow near path\$1) and events and (connect\$3 or link\$3)	USPAT; US-PGPUB; EPO; JPO;	2004/03/20 13:45
	incre\$7)) and (717/\$.ccls. or 714/\$.ccls. or 345/\$.ccls. or 706/\$.ccls.)	IBM_TDB	
14	near4 (flow\$1 or path\$1 or flow near path\$1) and events and (connect\$3 or link\$3) near3 objects and count\$3 same	US-PGPUB; EPO; JPO; DERWENT;	2004/03/20
252	714/\$.ccls. or 345/\$.ccls. or 706/\$.ccls.)) and (threshold or maximum or bound) same decre\$6	_	2004/02/00
353	(resolvs or detects or determins4) hear4 (flow\$1 or path\$1 or flow near path\$1) and events and (connect\$3 or link\$3) near3 objects and count\$3 near4 incre\$7	US-PGPUB; EPO; JPO; DERWENT;	2004/03/20
0	resol\$ near circular near path and events near4 object same connect\$3 and loop near3 incre\$7 same null	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/03/20 13:51
0	resol\$ near circular near path and events same object and loop near3 incre\$7 same null	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/03/20 13:52
0	resol\$ near circular near path and events same object and loop near3 incre\$7	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/03/20 13:52
0	resol\$ near circular near path and events same object and count\$3 same incre\$7	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/03/20 13:52
4	<pre>(resol\$ or detect\$3) near circular near path and events same object and count\$3 same incre\$7</pre>	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/03/20 13:53
17	<pre>(resol\$ or detect\$3 or determin\$7) same circular near path and events same object and count\$3 same incre\$7</pre>	IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2004/03/20 13:54
9	<pre>(resol\$ or detect\$3 or determin\$7) near4 flow near path and events same object and</pre>	IBM_TDB USPAT; US-PGPUB;	2004/03/20 13:55
	6 14 459 112 14 353 0 0 0 4	("6425121") or ("5710896") or ("5732192")).PN.  14 (("6425121") or ("5710896") or ("6425120") or ("6684385") or ("6425120") or ("6485180") or ("75790778")).PN.  459 (resolv\$ or detect\$ or determin\$4) near4 (flow\$1 or path\$1 or flow near path\$1) and events and (connect\$3 or link\$3) near3 objects and count\$3 same (null or incre\$7)  112 ((resolv\$ or detect\$ or determin\$4) near4 (flow\$1 or path\$1 or flow near path\$1) and events and (connect\$3 or link\$3) near3 objects and count\$3 same (null or incre\$7)) and (717/\$.ccls. or 714/\$.ccls. or 345/\$.ccls.)  14 (((resolv\$ or detect\$ or determin\$4) near4 (flow\$1 or path\$1 or flow near path\$1) and events and (connect\$3 or link\$3) near3 objects and count\$3 same (null or incre\$7)) and (717/\$.ccls. or 714/\$.ccls. or 714/\$.ccls. or 345/\$.ccls.] or 714/\$.ccls. or 714/\$.ccls. or 714/\$.ccls. or 345/\$.ccls.] or 706/\$.ccls.)) and (threshold or maximum or bound) same decre\$6  353 (resolv\$ or detect\$ or determin\$4) near4 (flow\$1 or path\$1 or flow near path\$1) and events and (connect\$3 or link\$3) near3 objects and count\$3 anear4 incre\$7  0 resol\$ near circular near path and events near4 object same connect\$3 and loop near3 incre\$7 same null  0 resol\$ near circular near path and events same object and loop near3 incre\$7 same null  0 resol\$ near circular near path and events same object and loop near3 incre\$7  4 (resol\$ or detect\$3) near circular near path and events same object and loop near3 incre\$7	6 (("6425121") or ("5710896") or ("5732192")).PN.  14 (("6425121") or ("5710896") or ("6732192") or ("6425120") or ("6684385") or ("6425120") or ("5485616") or ("5790778")).PN.  459 (resolv\$ or detect\$ or determin\$4) near4 (flow\$1 or path\$1 or flow near path\$1) and events and (connect\$3 or link\$3) near3 objects and count\$3 same (null or incre\$7)  12 ((resolv\$ or detect\$ or determin\$4) near4 (flow\$1 or path\$1 or flow near path\$1) and events and (connect\$3 or link\$3) near3 objects and count\$3 same (null or incre\$7)) and (717/\$.ccls. or 714/\$.ccls. or 345/\$.ccls. or 706/\$.ccls.)  14 (((resolv\$ or detect\$ or determin\$4) near4 (flow\$1 or path\$1 or flow near path\$1) same ar4 (flow\$1 or path\$1 or flow near path\$1) same ar4 (flow\$1 or path\$1 or flow near path\$1) same or bound) same decre\$6  353 (resolv\$ or detect\$ or determin\$4) near4 (flow\$1 or path\$1 or flow near path\$1) same or bound) same decre\$6  353 (resolv\$ or detect\$ or determin\$4) near4 (flow\$1 or path\$1 or flow near path\$1) same or bound) same decre\$6  353 (resolv\$ or detect\$ or determin\$4) near4 (flow\$1 or path\$1 or flow near path\$1) same objects and count\$3 same near3 objects and count\$3 same of low near path\$1 or path\$1 or flow near path\$1 or path\$1 or path\$1 or path\$1 or

Search History

3/20/04 3:00:10 PM

14	367	(relational) (relation) (relation) (relation) (relation)	USPAT;	2004/03/20
•		path and event same object and count\$3	US-PGPUB;	14:02
	ĺ	same incre\$7	EPO; JPO;	
ļ	ļ		DERWENT;	]
			IBM_TDB	
15	122	, , , , , , , , , , , , , , , , , , , ,	USPAT;	2004/03/20
	ļ	path and event same object and count\$3	US-PGPUB;	13:56
		same incre\$7 and null	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
16	53		USPAT;	2004/03/20
		path and event same object and count\$3	US-PGPUB;	13:58
		same incre\$7 and null) and decre\$7 same count\$3	EPO; JPO;	
	!	Councas	DERWENT;	
17	6	(resol\$ or detect\$3 or determin\$7) same	IBM_TDB USPAT;	2004/03/20
1 - '		divergent same path and event same object	US-PGPUB;	14:03
		and count\$3 same incre\$7	EPO; JPO;	14.05
			DERWENT;	}
			IBM TDB	
18	22	(resol\$ or detect\$3 or determin\$7) same	USPAT;	2004/03/20
		divergent same path and event same object	US-PGPUB;	14:03
		-	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
19	51	(	USPAT;	2004/03/20
		near2 flow near path or flow near path or	US-PGPUB;	14:11
		flow) same flow near2 (diagram or graph)	EPO; JPO;	
		and (indicat\$4 or counter) near5 object	DERWENT;	
	2356	and counter	IBM_TDB	2004/02/20
-	2336	(detect\$5 or resolv\$5) near4 (circular near2 flow near path or flow near path or	USPAT;	2004/03/20
		flow) same flow near2 (diagram or graph)	US-PGPUB; EPO; JPO;	13:18
		liow, same from nearz (dragram or graph)	DERWENT;	
			IBM TDB	
_	11	((detect\$5 or resolv\$5) near4 (circular	USPAT;	2004/01/28
		near2 flow near path or flow near path or	US-PGPUB;	13:12
		flow) same flow near2 (diagram or graph))	EPO; JPO;	
		and (flow near diagram or graph) same	DERWENT;	
		(connect\$4 or join or link) same object	IBM_TDB	
_	15	same event   ((detect\$5 or resolv\$5) near4 (circular	IICDAM.	2004/01/20
	13	near2 flow near path or flow near path or	USPAT; US-PGPUB;	2004/01/28 13:15
		flow) same flow near2 (diagram or graph))	EPO; JPO;	13.13
		and (flow near diagram or graph) same	DERWENT;	
		object same event	IBM_TDB	
-	113	((detect\$5 or resolv\$5) near4 (circular	USPAT;	2004/01/28
		near2 flow near path or flow near path or	US-PGPUB;	13:17
		flow) same flow near2 (diagram or graph))	EPO; JPO;	
1		and indicat\$4 near5 object	DERWENT;	
			IBM_TDB	
-	113	((detect\$5 or resolv\$5) near4 (circular	USPAT;	2004/01/28
		near2 flow near path or flow near path or	US-PGPUB;	13:16
		flow) same flow near2 (diagram or graph))	EPO; JPO;	
1	Į į	and (indicat\$4 or busy ) near5 object	DERWENT;	
_	122	((detect\$5 or resolv\$5) near4 (circular	IBM_TDB USPAT;	2004/03/20
	123	near2 flow near path or flow near path or	US-PGPUB;	2004/03/20 14:11
		flow) same flow near2 (diagram or graph))	EPO; JPO;	T-1 - T-T
	[ i	and (indicat\$4 or counter) near5 object	DERWENT;	
		,	IBM TDB	
-	7	(((detect\$5 or resolv\$5) near4 (circular	USPAT;	2004/01/28
		near2 flow near path or flow near path or	US-PGPUB;	13:18
İ		flow) same flow near2 (diagram or graph))	EPO; JPO;	
		and (indicat\$4 or counter) near5 object)	DERWENT;	
		and count\$3 near5 execut\$4	IBM_TDB	
-	25	(((detect\$5 or resolv\$5) near4 (circular	USPAT;	2004/02/04
		near2 flow near path or flow near path or	US-PGPUB;	13:50
	]	<pre>flow) same flow near2 (diagram or graph)) and (indicat\$4 or counter) near5 object)</pre>	EPO; JPO;	
	]	and count\$3 same execut\$4	DERWENT; IBM TDB	
L	1	The state of the s		

Search History

3/20/04 3:00:10 PM

		1884/1988		
-	0	(	USPAT;	2004/01/28
		near2 flow near path same flow near2 (diagram or graph)	US-PGPUB; EPO; JPO;	13:23
		(dragram or graph)	DERWENT;	}
			IBM_TDB	
-	41	( = = = = = = = = , = , = , = = = = = =	USPAT;	2004/01/28
		near5 path same (diagram or graph)	US-PGPUB;	13:24
			EPO; JPO;	
			DERWENT; IBM TDB	
_	50	(detect\$5 or resolv\$5) same flow near	USPAT;	2004/01/28
		path same flow near2 (diagram or graph)	US-PGPUB;	13:25
			EPO; JPO;	
			DERWENT;	
_		(detect\$5 and resolv\$5) same flow near	IBM_TDB	2004/01/20
_	"	path same flow near2 (diagram or graph)	USPAT; US-PGPUB;	2004/01/28
		path same 110w heart (aragram of graph)	EPO; JPO;	13.23
			DERWENT;	
			IBM_TDB	
-	35	( · · · · · · · · · · · · · · · · · ·	USPAT;	2004/01/28
		resol\$6 or correct\$3) same flow near path same flow near2 (diagram or graph)	US-PGPUB; EPO; JPO;	13:26
		Same from hearz (dragram or graph)	DERWENT;	
			IBM TDB	
-	3	( , ( , ( , )	USPAT;	2004/02/21
		(detect\$4 or resolv\$5) near3 circular	US-PGPUB;	14:46
		near path	EPO; JPO;	
			DERWENT; IBM TDB	
_	758	(717/\$.ccls. or 345/\$.ccls.) and	USPAT;	2004/02/04
		(detect\$4 or resolv\$5) near7 path	US-PGPUB;	13:54
		_	EPO; JPO;	
			DERWENT;	
_	12	(717/¢ gg]g on 245/¢ gg]g \ and	IBM_TDB	2004/02/04
_	12	(717/\$.ccls. or 345/\$.ccls.) and (detect\$4 or resolv\$5) same circular near	USPAT; US-PGPUB;	2004/02/04
		path	EPO; JPO;	15.55
		-	DERWENT;	
		(7777400058)	IBM_TDB	
_	2	("5710896").PN.	USPAT;	2004/02/21
	1		US-PGPUB; EPO; JPO;	15:16
	}		DERWENT;	
	į		IBM TDB	
-	4	(("5710896") or ("5732192")).PN.	USPAT;	2004/02/21
			US-PGPUB;	15:43
			EPO; JPO; DERWENT;	
			IBM TDB	
-	14	• • • • • • • • • • • • • • • • • • • •	USPAT;	2004/02/23
		distribut\$5) and network and stor\$5 and	US-PGPUB;	11:04
		(run-time or runtime) near2 environment	EPO; JPO;	
		<pre>same (assembl\$5 or contruct\$5 or re adj1 creat\$3 or re adj1 engineer\$5 or re adj1</pre>	DERWENT; IBM TDB	
		develop\$5 or re adj1 design\$5 or re adj1	1011_100	
		build\$5) and component and class and		
		(717/\$.ccls. or 709/\$.ccls.)		
_	265	(transfer\$7 or migrat\$5 or mov\$4 or	USPAT;	2004/02/21
		distribut\$5)and network and stor\$5 and (run-time or runtime) near2 environment	US-PGPUB; EPO; JPO;	16:02
		same (assembl\$5 or contruct\$5 or build\$4	DERWENT;	
		or construct\$4 or creat\$4 or develop\$5 or	IBM TDB	
		design\$4 or re adj1 creat\$3 or re adj1	_	
		engineer\$5 or re adj1 develop\$5 or re		
		adj1 design\$5 or re adj1 build\$5) and component and class and (717/\$.ccls. or		
		709/\$.ccls.)		
		, ,		

-	45	(transfer\$7 or migrat\$5 or mov\$4 or	USPAT;	2004/02/21
	İ	distribut\$5 or deploy\$6)and network and	US-PGPUB;	15:55
		stor\$5 and (run-time or runtime) near2	EPO; JPO;	
		environment same (assembl\$5 or contruct\$5	DERWENT;	
İ		or build\$4 or construct\$4 or creat\$4 or	IBM_TDB	
		develop\$5 or design\$4 or re adj1 creat\$3	i –	
		or re adj1 engineer\$5 or re adj1	1	
		develop\$5 or re adj1 design\$5 or re adj1		
Ì	İ	build\$5) and component and class and		
	İ	(717/\$.ccls. or 709/\$.ccls.) and deploy\$5		
		and (remove or delet\$3) near3 (component		
		or object or application or program)		
-	20	((transfer\$7 or migrat\$5 or mov\$4 or	USPAT;	2004/02/21
		distribut\$5 or deploy\$6) and network and	US-PGPUB;	15:55
1		stor\$5 and (run-time or runtime) near2	EPO; JPO;	
		environment same (assembl\$5 or contruct\$5	DERWENT;	
		or build\$4 or construct\$4 or creat\$4 or	IBM_TDB	
		develop\$5 or design\$4 or re adj1 creat\$3	_	
		or re adj1 engineer\$5 or re adj1		ļ
		develop\$5 or re adj1 design\$5 or re adj1		
		build\$5) and component and class and		į
		(717/\$.ccls. or 709/\$.ccls.) and deploy\$5		
		and (remove or delet\$3) near3 (component		
		or object or application or program)) and		
		schedul\$5		
-	12	(transfer\$7 or migrat\$5 or mov\$4 or	USPAT;	2004/02/21
İ		deploy\$5) same configur\$6 and network and	US-PGPUB;	16:01
		stor\$5 and (run-time or runtime) near2	EPO; JPO;	
		environment same (assembl\$5 or contruct\$5	DERWENT;	
		or build\$4 or construct\$4 or creat\$4 or	IBM_TDB	
		develop\$5 or design\$4 or re adj1 creat\$3		[
		or re adj1 engineer\$5 or re adj1		
		develop\$5 or re adj1 design\$5 or re adj1		
		build\$5) and component and class and		
1		(717/\$.ccls. or 709/\$.ccls.) and		
	1	(transfer\$7 or migrat\$5 or mov\$4 or		
1		deploy\$5 or distribut\$6).ti.		
-	28	(transfer\$7 or migrat\$5 or mov\$4 or	USPAT;	2004/03/20
		distribut\$5) and network and stor\$5 and	US-PGPUB;	13:26
1		(run-time or runtime) near2 environment	EPO; JPO;	
		same (assembl\$5 or contruct\$5 or build\$4	DERWENT;	
		or construct\$4 or creat\$4 or develop\$5 or	IBM_TDB	
		design\$4 or re adj1 creat\$3 or re adj1		
		engineer\$5 or re adj1 develop\$5 or re		
		adj1 design\$5 or re adj1 build\$5) and		}
		component and class and (717/\$.ccls. or		
		709/\$.ccls.)and (transfer\$7 or migrat\$5		
		or mov\$4 or deploy\$5 or distribut\$6).ti.		l